



**LIMITED LIABILITY COMPANY**  
RN-Buzuluk Gas Processing Plant

Legal address of the plant: 461040, Orenburg region, Buzuluk, Technicheskaya St., 10  
Tel: (35342)39-601, fax (35342) 39-602, e-mail: bgpp\_priemnaya@rosneft.ru  
Address of production: Russia, Orenburg region., Grachevsky district, vil. Pokrovka (Novonikolsky s / s), Promzemlya 101

**QUALITY CERTIFICATE NO.11**  
Technical lump gas sulfur, grade 9995  
GOST 127.1-93

OKPD-2 code 20.13.66.120:

Batch No.11

Shipment date

Net weight, t

TS No.

Product manufacturing date 03.08.2020

Sampling date 03.08.2020

ND of the sampling method GOST 127.2

Date of testing: 07.08.2020

Sampling and tests were carried out by the Chemical Laboratory of RN-BGPP LLC, accreditation certificate No. RA.RU.2111B73 dated 05.04.2018

Item No.	Parameter name	Test methods	Standard for grade					Actually**
			9998	9995	9990	9950	9920	
1.	Mass fraction of sulfur*, %, min	GOST 127.2-93 cl. 2	99,98	<b>99,95</b>	<b>99,90</b>	<b>99,50</b>	<b>99,20</b>	<b>99,97</b>
2.	Mass fraction of ash*, %, (max)	GOST 127.2-93 cl. 3	0.02	0.03	0.05	0,2	0.4	0,010±0,002
3	Mass fraction of organic substances*, %, (max)	GOST 127.2-93 cl. 3	0.01	0.03	0.06	0.25	0,5	0,012±0,002
4	Mass fraction of acids in terms of sulphuric acid*, % (max)	GOST 127.2-93 cl. 4	<b>0,0015</b>	0,003	0.004	0.01	0.02	0,0031 ±0,0002
5	Mass fraction of water, %, (max)	GOST 127.2-93 cl. 5.3	0,2			1.0	0,009±0,050	
6.	Mechanical impurities (paper, wood, sand, etc.)	visually	Not allowed				Absence	

\*Standards for indicators 1- 4 are given in terms of dry basis

\*\* The test result is obtained as the average between two parallel determinations.

The product meets the requirements of GOST 127.1, cl. 1, **tab. 1** for grade 9995

The Quality Certificate is formed on the basis of test report No. 3990 dated 07.08.2020

Issue date of the Quality Certificate No. 11 07.08.2020

The manufacturer guarantees the quality of product meets the requirements of GOST within one year from the date of shipment, subject to the rules of transportation and storage.

Reprinting or copying of this document without the permission of RN-BGPP LLC is prohibited

End of the Quality Certificate No.11